

STIASA

Suministros Industriales del Tajo, S.A.



KTL
L A D D E R S

SERIE INDUSTRIAL / GAMME INDUSTRIELLE

150 Kg

Referencia
Référence

Peldaños
Marches



Peso Kg.
Poids Kg.

1 Escalera móvil con plataforma, plegable, 2XL / Échelle roulante avec plateforme, pliable, 2XL

26 106 804	4	79 x 28 / 58 x 25	2,94	16 x 209 x 68	18,9
26 106 806	6	79 x 28 / 58 x 25	3,40	16 x 259 x 73	22,0
26 106 808	8	79 x 28 / 58 x 25	3,86	16 x 309 x 78	25,3
26 106 810	10	79 x 28 / 58 x 25	4,33	16 x 359 x 83	28,6
26 106 812	12	79 x 28 / 58 x 25	4,79	16 x 409 x 88	33,0

2 Escalera móvil con plataforma, plegable, 2XL-S / Échelle roulante avec plateforme, pliable, 2XL-S

26 116 804	4	79 x 28 / 58 x 25	2,94	16 x 209 x 68	22,0
26 116 806	6	79 x 28 / 58 x 25	3,40	33 x 259 x 73	24,7
26 116 808	8	79 x 28 / 58 x 25	3,86	33 x 309 x 78	27,5
26 116 810	10	79 x 28 / 58 x 25	4,33	33 x 359 x 83	31,9
26 116 812	12	79 x 28 / 58 x 25	4,79	33 x 409 x 88	37,4

3 Plataforma de trabajo plegable / Plateforme de travail pliable

26 013 009	1	30 x 90	2,24	15 x 90 x 33	5,8
26 013 012	1	30 x 120	2,24	15 x 120 x 33	7,0
26 014 509	1	45 x 90	2,24	15 x 90 x 485	7,2
26 014 512	1	45 x 120	2,24	15 x 120 x 48	9,0
26 023 009	2	30 x 90	2,49	23 x 90 x 37	7,6
26 023 012	2	30 x 120	2,49	23 x 120 x 37	8,8
26 024 509	2	45 x 90	2,49	23 x 90 x 52	9,0
26 024 512	2	45 x 120	2,49	23 x 120 x 52	10,8
26 024 515	2	45 x 150	2,49	15 x 150 x 52	12,0
26 026 009	2	60 x 90	2,49	23 x 90 x 67	10,8
26 026 012	2	60 x 120	2,49	23 x 120 x 67	12,8
26 026 015	2	60 x 150	2,49	15 x 150 x 67	14,2
26 034 512	3	45 x 120	2,74	23 x 120 x 55	11,2
26 034 515	3	45 x 150	2,74	23 x 150 x 55	13,8
26 036 012	3	60 x 120	2,74	23 x 120 x 70	14,4
26 036 015	3	60 x 150	2,74	23 x 150 x 70	16,0
26 044 515	4	45 x 150	2,99	23 x 150 x 59	15,2
26 046 015	4	60 x 150	2,99	23 x 150 x 74	18,0

4 Escalera de plataforma móvil, 1 acceso / Échelle-plateforme roulante, 1 accès

26 203 496	3	49 x 60	2,74	125 x 70 x 25	18,1
26 203 606	3	60 x 60	2,74	125 x 70 x 25	19,6
26 203 609	3	60 x 90	2,74	125 x 82 x 25	22,4
26 204 496	4	49 x 60	2,99	110 x 70 x 30	19,5
26 204 606	4	60 x 60	2,99	110 x 70 x 30	21,0
26 204 609	4	60 x 90	2,99	110 x 82 x 30	23,8
26 205 496	5	49 x 60	3,24	135 x 70 x 30	20,9
26 205 606	5	60 x 60	3,24	135 x 70 x 30	22,4
26 205 609	5	60 x 90	3,24	135 x 82 x 30	25,4
26 206 496	6	49 x 60	3,49	162 x 70 x 30	23,1
26 206 606	6	60 x 60	3,49	162 x 70 x 30	24,6
26 206 609	6	60 x 90	3,49	162 x 82 x 30	27,4
26 208 496	8	49 x 60	3,99	215 x 70 x 30	27,4
26 208 606	8	60 x 60	3,99	215 x 70 x 30	28,9
26 208 609	8	60 x 90	3,99	215 x 82 x 30	31,7
26 210 496	10	49 x 60	4,49	270 x 70 x 30	32,7
26 210 606	10	60 x 60	4,49	270 x 70 x 30	34,2
26 210 609	10	60 x 90	4,49	270 x 82 x 30	37,0



EN 131-7



EN 131-7



EN 131



EN 131 EN ISO 14122

SERIE INDUSTRIAL / GAMME INDUSTRIELLE

150 Kg

 Referencia
Référéncie

 Peldaños
Marches

 Peso Kg.
Poids Kg.

5 Escalera de plataforma móvil, 2 accesos / Échelle-plateforme roulante, 2 accès

26 303 606	3	60 x 60	2,74	-	17,8
26 303 609	3	60 x 90	2,74	-	20,6
26 304 606	4	60 x 60	2,99	-	19,2
26 304 609	4	60 x 90	2,99	-	22,0
26 305 606	5	60 x 60	3,24	-	21,0
26 305 609	5	60 x 90	3,24	-	23,8
26 306 606	6	60 x 60	3,49	-	23,2
26 306 609	6	60 x 90	3,49	-	26,0
26 308 606	8	60 x 60	3,99	-	27,7
26 308 609	8	60 x 90	3,99	-	30,5



EN 131 EN ISO 14122

6 Gradilla de 45° / Plateforme de travail 45°

26 645 002	2	60 x 60	2,41	77 x 60 x 37	14,0
26 645 003	3	60 x 60	2,61	87 x 60 x 37	17,0
26 645 004	4	60 x 60	2,82	117 x 60 x 37	20,0



EN 14183

7 Gradilla de 60° / Plateforme de travail 60°

26 660 002	2	60 x 60	2,50	68 x 60 x 37	14,0
26 660 003	3	60 x 60	2,75	87 x 60 x 37	17,0
26 660 004	4	60 x 60	3,00	117 x 60 x 37	20,0



EN 14183

8 Plataforma móvil de trabajo 45° / Plateforme mobile de travail 45°

26 545 003	3	60 x 65	2,61	147 x 65 x 37	36,0
26 545 004	4	60 x 65	2,82	168 x 65 x 37	40,0
26 545 006	6	60 x 65	3,23	209 x 65 x 37	47,0
26 545 008	8	60 x 65	3,64	250 x 65 x 37	58,0
26 545 010	10	60 x 65	4,05	291 x 65 x 37	72,0
26 545 012	12	60 x 65	4,46	332 x 65 x 37	88,0
26 545 014	14	60 x 65	4,87	373 x 65 x 37	103,0
26 545 016	16	60 x 65	5,28	414 x 65 x 37	112,0
26 545 018	18	60 x 65	5,69	455 x 65 x 37	124,0
26 545 020	20	60 x 65	6,10	496 x 65 x 37	134,0



EN 131 EN ISO 14122

9 Plataforma móvil de trabajo 60° / Plateforme mobile de travail 60°

26 560 003	3	60 x 65	2,75	167 x 65 x 30	21,0
26 560 004	4	60 x 65	3,00	192 x 65 x 30	26,0
26 560 006	6	60 x 65	3,50	252 x 65 x 30	35,0
26 560 008	8	60 x 65	4,00	293 x 65 x 30	45,0
26 560 010	10	60 x 65	4,50	342 x 65 x 30	53,0
26 560 012	12	60 x 65	5,00	392 x 65 x 30	65,0
26 560 014	14	60 x 65	5,50	442 x 65 x 30	73,0
26 560 016	16	60 x 65	6,00	492 x 65 x 30	88,0
26 560 018	18	60 x 65	6,50	542 x 65 x 30	93,0
26 560 020	20	60 x 65	7,00	592 x 65 x 30	100,0



EN 131 EN ISO 14122

10 Escalera fija / Échelle simple

23 111 006	6	58 x 25	2,87	5,8 x 193 x 42	3,2
23 111 007	7	58 x 25	3,14	5,8 x 221 x 42	3,6
23 111 009	9	58 x 25	3,68	5,8 x 227 x 42	4,4
23 111 011	11	58 x 25	4,22	5,8 x 333 x 42	5,2
23 111 012	12	58 x 25	4,49	5,8 x 361 x 42	5,6
23 211 015	15	73 x 25	5,30	7,3 x 445 x 42	8,2
23 211 018	18	73 x 25	6,11	7,3 x 529 x 42	9,4



EN 131

SERIE INDUSTRIAL / GAMME INDUSTRIELLE

150 Kg

Referencia
Référéce

Peldaños
Marches



Peso Kg.
Poids Kg.

11 Escalera fija de peldaño ancho / Échelle simple avec marches larges

23 113 006	6	58 x 25	2,87	5,8 x 193 x 42	4,8
23 113 007	7	58 x 25	3,14	5,8 x 221 x 42	5,4
23 113 009	9	58 x 25	3,68	5,8 x 227 x 42	6,8
23 113 011	11	58 x 25	4,22	5,8 x 333 x 42	8,1
23 113 012	12	58 x 25	4,49	5,8 x 361 x 42	8,8

12 Escalera fija con base / Échelle simple avec barre de stabilité

23 112 006	4	58 x 25	2,87	5,8 x 193 x 42	3,9
23 112 007	6	58 x 25	3,14	5,8 x 221 x 42	4,3
23 112 009	8	58 x 25	3,68	5,8 x 227 x 42	5,1
23 112 011	10	58 x 25	4,22	5,8 x 333 x 42	6,0
23 112 012	12	58 x 25	4,49	5,8 x 361 x 42	6,4
23 212 015	15	73 x 25	5,30	7,3 x 445 x 42	9,2
23 212 018	18	73 x 25	6,11	7,3 x 529 x 42	10,4

13 Escalera doble extensión manual / Échelle à coulisse à main 2 plans

23 121 006	6 x 2	58 x 25	3,95	11 x 193 x 42 / 35	6,4
23 121 007	7 x 2	58 x 25	4,49	11 x 221 x 42 / 35	7,7
23 221 009	9 x 2	73 x 25	5,57	13 x 227 x 42 / 35	10,4
23 221 011	11 x 2	73 x 25	6,65	13 x 333 x 42 / 35	12,2
23 221 012	12 x 2	73 x 25	7,19	13 x 361 x 42 / 35	12,8
23 821 015	15 x 2	84 x 25	8,54	15 x 445 x 42 / 35	17,6

14 Escalera doble extensión mecánica / Échelle à coulisse à corde 2 plans

23 222 012	12 x 2	73 x 25	7,19	13 x 361 x 42 / 35	14,2
23 822 015	15 x 2	84 x 25	8,81	15 x 445 x 42 / 35	18,8
23 922 018	18 x 2	84 x 25	10,17	15 x 445 x 42 / 35	24,2
23 922 021	21 x 2	84 x 25	11,50	15 x 445 x 42 / 35	27,8

15 Escalera doble con base / Échelle transformable 2 plans

23 123 006	6 x 2	58 x 25	3,95	2,84	11 x 193 x 49 / 42	7,6
23 123 007	7 x 2	58 x 25	4,49	3,10	11 x 221 x 49 / 42	9,1
23 223 009	9 x 2	73 x 25	5,57	3,64	13 x 227 x 49 / 42	14,0
23 223 011	11 x 2	73 x 25	6,65	4,17	13 x 333 x 49 / 42	15,6
23 823 012	12 x 2	84 x 25	7,19	4,44	15 x 361 x 49 / 42	17,4
23 823 015	15 x 2	84 x 25	8,81	5,24	15 x 445 x 49 / 42	19,2
23 923 018	18 x 2	84 x 25	10,17	6,03	15 x 529 x 49 / 42	24,8

16 Escalera triple con base / Échelle transformable 3 plans

23 231 006	6 x 3	73 x 25	5,03	2,84	18 x 193 x 49 / 42 / 35	12,2
23 231 007	7 x 3	73 x 25	5,84	3,10	18 x 221 x 49 / 42 / 35	13,7
23 231 009	9 x 3	73 x 25	7,46	3,64	18 x 227 x 49 / 42 / 35	16,8
23 231 011	11 x 3	73 x 25	9,09	4,17	18 x 333 x 49 / 42 / 35	19,5
23 931 012	12 x 3	84 x 25	9,36	4,44	21 x 361 x 49 / 42 / 35	25,0
23 931 015	15 x 3	84 x 25	11,25	5,24	21 x 445 x 49 / 42 / 35	27,8

17 Escalera de tijera de doble acceso / Escabeau à double accès

23 141 006	6	58 x 25	2,62	11 x 173 x 42	9,4
23 141 009	9	58 x 25	3,41	11 x 257 x 42	13,2
23 141 012	12	58 x 25	4,20	11 x 341 x 42	17,2



SERIE INDUSTRIAL / GAMME INDUSTRIELLE

150 Kg

Referencia
Référence

Peldaños
Marches



Peso Kg.
Poids Kg.

18 New Comfort doble acceso / Escabeau double accès New Comfort

23 225 902	2	79 x 28	1,96	18 x 50 x 44	4,2
23 225 903	3	79 x 28	2,20	18 x 75 x 46	5,4
23 225 904	4	79 x 28	2,43	18 x 100 x 48	6,4
23 225 006	6	79 x 28	2,89	18 x 150 x 53	11,4
23 225 008	8	79 x 28	3,35	18 x 200 x 58	14,2
23 225 010	10	79 x 28	3,81	18 x 250 x 63	17,4
23 225 012	12	79 x 28	4,27	18 x 300 x 68	20,5

19 Escalera de tijera XL / Escabeau XL

23 325 003	3	79 x 28 / 58 x 25	2,68	16 x 152 x 51	7,9
23 325 004	4	79 x 28 / 58 x 25	2,92	16 x 178 x 53	9,1
23 325 005	5	79 x 28 / 58 x 25	3,16	16 x 203 x 55	10,3
23 325 006	6	79 x 28 / 58 x 25	3,40	16 x 229 x 58	11,5
23 325 007	7	79 x 28 / 58 x 25	3,63	16 x 175 x 61	12,7
23 325 008	8	79 x 28 / 58 x 25	3,87	16 x 280 x 63	15,1
23 325 010	10	79 x 28 / 58 x 25	4,33	16 x 332 x 68	17,7

20 Escalera de tijera XL-S / Escabeau XL-S

23 329 004	4	79 x 28 / 58 x 25	2,92	27 x 178 x 53	9,6
23 329 005	5	79 x 28 / 58 x 25	3,16	27 x 203 x 55	10,9
23 329 006	6	79 x 28 / 58 x 25	3,40	27 x 229 x 58	12,7
23 329 007	7	79 x 28 / 58 x 25	3,63	27 x 175 x 61	13,3
23 329 008	8	79 x 28 / 58 x 25	3,87	27 x 280 x 63	15,9
23 329 010	10	79 x 28 / 58 x 25	4,33	27 x 332 x 68	18,9

SERIE INDUSTRIAL FIBRA / GAMME INDUSTRIELLE FIBRE DE VERRE

1000 V a.c./1500 V d.c.

150 Kg

Referencia
Référence

Peldaños
Marches



Peso Kg.
Poids Kg.

1 Escalera fija / Échelle simple

25 611 009	9	60 x 20	3,61	6 x 271 x 40	7,5
25 611 012	12	60 x 20	4,42	6 x 355 x 40	10,5

2 Escalera doble extensión manual / Échelle à coulisse à main 2 plans

25 721 009	9 x 2	70 x 25	5,40	15 x 272 x 45	18,5
25 721 012	12 x 2	70 x 25	7,08	15 x 356 x 45	24,0

3 Escalera doble extensión mecánica / Échelle à coulisse à corde 2 plans

25 722 012	12 x 2	70 x 25	7,08	15x356x45	27,0
25 822 015	15 x 2	83 x 32	8,76	17x440x50	38,0
25 822 018	18 x 2	83 x 32	10,44	17x524x50	44,0

4 Escalera doble acceso / Échelle double accès

25 641 007	7 x 2	60 x 20	3,34	13 x 205 x 40	12,0
25 641 010	10 x 2	60 x 20	4,13	13 x 294 x 40	16,0

5 Escalera fija plegable / Échelle simple pliante

25 612 010	5 x 2	60 x 20	3,84	2,64	12 x 146 x 40	9,0
25 612 012	6 x 2	60 x 20	4,40	2,97	12 x 174 x 40	11,0

6 Escalera doble con base / Échelle transformable 2 plans

25 723 009	9 x 2	70 x 25	5,40	3,72	14 x 266 x 45	19,5
------------	-------	---------	------	------	---------------	------

7 Escalera doble acceso con tramo extensible / Échelle double accès avec extension

25 642 009	9 x 3	60 x 20	5,30	18 x 266 x 40	22,0
------------	-------	---------	------	---------------	------



SERIE PROFESIONAL / GAMME PROFESSIONNELLE

150 Kg

Referencia
Référéncie

Peldaños
Marches



Peso Kg.
Poids Kg.

1 Escalera fija / Échelle simple

23 117 007	7	58 x 25	2,94		5,8 x 201 x 35	3,0
23 117 009	9	58 x 25	3,48		5,8 x 257 x 35	3,8
23 117 011	11	58 x 25	4,02		5,8 x 313 x 35	4,5

2 Escalera doble extensión manual / Échelle à coulisse à main 2 plans

23 127 007	7 x 2	58 x 25	4,29		11 x 199 x 42 / 35	6,4
23 127 009	9 x 2	58 x 25	5,41		11 x 255 x 42 / 35	7,8
23 227 011	11 x 2	64 x 25	6,25		12 x 311 x 42 / 35	9,8

3 Escalera doble con base / Échelle transformable 2 plans

23 129 007	7 x 2	73 x 25	4,29	2,89	11 x 199 x 42 / 35	6,6
23 129 009	9 x 2	58 x 25	5,41	3,45	11 x 255 x 42 / 35	8,4
23 229 011	11 x 2	58 x 25	6,25	4,01	12 x 311 x 42 / 35	10,4

4 Escalera triple con base / Échelle transformable 3 plans

23 137 007	7 x 3	58 x 25	5,13	2,89	16 x 199 x 49 / 42 / 35	10,4
23 237 009	9 x 3	64 x 25	6,80	3,45	17 x 255 x 49 / 42 / 35	13,4

5 Escalera-andamio multiusos / Échafaudage + échelle 2 plans

23 161 006	6 x 2	58 x 25	3,64	2,71	15 x 180 x / 42 / 35	12,0
------------	-------	---------	------	------	----------------------	------

6 Escalera telescópica / Échelle télescopique

24 101 033	3 + 3	65 x 30 / 60 x 25	3,80	2,45	13 x 102 x 56	11,5
24 101 044	4 + 4	65 x 30 / 60 x 25	4,90	2,95	13 x 120 x 58	14,0
24 101 055	5 + 5	65 x 30 / 60 x 25	6,00	3,45	13 x 150 x 65	16,6

7 Escalera articulada multiposiciones / Échelle articulée multi-positions

24 201 033	3 x 4	60 x 22	4,45	2,75	25 x 99 x 36	12,6
24 202 033	3 x 4	60 x 22	4,23	2,65	25 x 91 x 34	12,2

8 Escalera de aluminio PLUS / Escabeau en aluminium PLUS

27 681 003	3	50 x 20 / 40 x 20	2,60		12 x 130 x 38	3,8
27 681 004	4	50 x 20 / 40 x 20	2,80		12 x 151 x 41	4,5
27 681 005	5	50 x 20 / 40 x 20	3,02		12 x 172 x 45	5,4
27 781 006	6	50 x 20 / 40 x 20	3,23		12 x 193 x 48	6,3
27 781 007	7	50 x 20 / 40 x 20	3,45		12 x 215 x 51	7,7
27 781 008	8	50 x 20 / 40 x 20	3,65		12 x 235 x 54	8,5

9 Escalera de aluminio ADVANCED / Escabeau en aluminium ADVANCED

22 472 003	3	50 x 20 / 40 x 20	2,60		11 x 130 x 38	3,5
22 472 004	4	50 x 20 / 40 x 20	2,80		11 x 151 x 41	4,0
22 472 005	5	50 x 20 / 40 x 20	3,02		11 x 172 x 45	4,7
22 472 006	6	50 x 20 / 40 x 20	3,23		11 x 193 x 48	5,4
22 472 007	7	50 x 20 / 40 x 20	3,45		11 x 215 x 51	6,3
22 472 008	8	50 x 20 / 40 x 20	3,65		11 x 235 x 54	6,9







Serie Andamio - Scaffold range - Gamme échafaudage

EN 131
NFE 85-200


Referencia
Reference
Référence



mm.



cm.



m.



Kg

Andamio-escalera plegable multiusos PINNA - PINNA foldable scaffold + 2 multi-purpose ladder
- Echafaudage pliant + 2 échelles multifonctions PINNA



AF.PN	60x24	143x51	3,78	34,5
-------	-------	--------	------	------

Andamios PINNA CLIC y PINNA CLIC•CLAC - PINNA CLIC & PINNA CLIC•CLAC scaffolds
- Echafaudages PINNA CLIC et PINNA CLIC•CLAC





AF.PN/CLI	60x24	143x51	4,36	34,4
AF.PN/PRO	60x24	143x51	-	33,0
AF.PN/CLA	60x24	143x51	6,46	67,4

Serie Andamio - Scaffold range - Gamme échafaudage

NFE 85-200
ZH 1-534.8

Referencia
Reference
Référence



Andamio profesional ESTRO - ESTRO professional scaffold - Echafaudage professionnel ESTRO



AF.ESTRO	65x25	152x52	2,85	27,0
----------	-------	--------	------	------

Andamio profesional plegable PIEGO - PIEGO foldable professional scaffold
- Echafaudage professionnel pliable PIEGO





AF.PIEGO	65x25	152x68	2,85	31,5
----------	-------	--------	------	------

Serie Andamio - Scaffold range - Gamme échafaudage

2 PfG 1273/11.10
EN 1004 Clase 3

Referencia
Reference
Référence



Andamios profesionales ALUMITO y ALUMITO MAXI - ALUMITO & ALUMITO MAXI professional scaffolds
- Echafaudages professionnel ALUMITO et ALUMITO MAXI



AF.AMST	65x25	150x68	4,40	77,0
AF.AMMX	65x25	150x68	6,20	94,4
AF.AMMK	65x25	-	-	25,4
AF.D661	-	-	-	6,8

Andamio industrial DOGE65 - DOGE65 industrial scaffold - Echafaudage industriel DOGE65





AF.DG6/1C EN	65x25	153x76,5	4,40	83,6
AF.DG6/2C EN	65x25	153x76,5	5,00	87,1
AF.DG6/2.5C EN	65x25	153x76,5	5,60	101,6
AF.DG6/3C EN	65x25	153x76,5	6,20	136,9
AF.DG6/4C EN	65x25	153x76,5	6,80	143,0
AF.DG6/4.5C EN	65x25	153x76,5	7,40	151,4
AF.DG6/5C EN	65x25	153x76,5	8,00	151,4
AF.DG6/6C EN	65x25	153x76,5	8,60	154,9
AF.DG6/6.5C EN	65x25	153x76,5	9,20	165,6
AF.DG6/7C EN	65x25	153x76,5	9,80	169,6
AF.DG6/8C EN	65x25	153x76,5	10,40	173,1

Serie Andamio - Scaffold range - Gamme échafaudage

EN 1004 Clase 3

Referencia
Reference
Référence



Andamio industrial DOGE80 - DOGE80 industrial scaffold - Echafaudage industriel DOGE80



AF.DG8/1C EN	80x25	201x100	4,54	132,7
AF.DG8/2C EN	80x25	201x100	6,04	205,4
AF.DG8/3C EN	80x25	201x100	7,54	214,3
AF.DG8/4C EN	80x25	201x100	9,04	243,8
AF.DG8/5C EN	80x25	201x100	10,54	302,7
AF.DG8/6C EN	80x25	201x100	12,04	325,4
AF.DG8/7C EN	80x25	201x100	13,54	348,1

Andamio industrial CAPO-1 - CAPO-1 industrial scaffold - Echafaudage industriel CAPO-1




AF.C30-1/C-BST	50	143x60	2,78	45,0
AF.C31-1/C-BST	50	143x60	3,82	60,6
AF.C32-1/C-BST	50	143x60	4,35	70,0
AF.C33-1/C-BST	50	143x60	5,38	82,0
AF.C34-1/C-BST	50	143x60	5,90	109,2
AF.C35-1/C-BST	50	143x60	6,95	143,3
AF.C36-1/C-BST	50	143x60	7,47	146,6
AF.C37-1/C-BST	50	143x60	8,50	158,6
AF.C38-1/C-BST	50	143x60	9,02	162,0
AF.C39-1/C-BST	50	143x60	10,06	182,0
AF.C40-1/C-BST	50	143x60	10,58	199,0
AF.C41-1/C-BST	50	143x60	11,63	211,0
AF.C42-1/C-BST	50	143x60	12,14	221,5
AF.C30-1/C-BPI	50	143x60	2,78	45,0
AF.C31-1/C-BPI	50	143x60	3,82	60,6
AF.C32-1/C-BPI	50	143x60	4,35	70,0
AF.C33-1/C-BPI	50	143x60	5,38	82,0
AF.C34-1/C-BPI	50	143x60	5,90	109,2
AF.C35-1/C-BPI	50	143x60	6,95	143,3
AF.C36-1/C-BPI	50	143x60	7,47	146,6
AF.C37-1/C-BPI	50	143x60	8,50	158,6
AF.C38-1/C-BPI	50	143x60	9,02	162,0
AF.C39-1/C-BPI	50	143x60	10,06	182,0
AF.C40-1/C-BPI	50	143x60	10,58	199,0
AF.C41-1/C-BPI	50	143x60	11,63	211,0
AF.C42-1/C-BPI	50	143x60	12,14	221,5


Serie Andamio - Scaffold range - Gamme échafaudage

EN 1004 Clase 3

Referencia
Reference
Référence

 mm.

 cm.

 m.

 Kg


AF.C30-1/C-BLI	50	143x60	2,78	45,0
AF.C31-1/C-BLI	50	143x60	3,82	60,6
AF.C32-1/C-BLI	50	143x60	4,35	70,0
AF.C33-1/C-BLI	50	143x60	5,38	82,0
AF.C34-1/C-BLI	50	143x60	5,90	109,2
AF.C35-1/C-BLI	50	143x60	6,95	143,3
AF.C36-1/C-BLI	50	143x60	7,47	146,6
AF.C37-1/C-BLI	50	143x60	8,50	158,6
AF.C38-1/C-BLI	50	143x60	9,02	162,0
AF.C39-1/C-BLI	50	143x60	10,06	182,0
AF.C40-1/C-BLI	50	143x60	10,58	199,0
AF.C41-1/C-BLI	50	143x60	11,63	211,0
AF.C42-1/C-BLI	50	143x60	12,14	221,5
AF.C30-1/C-BLI-M	50	210x60	2,78	56,8
AF.C31-1/C-BLI-M	50	210x60	3,82	74,0
AF.C32-1/C-BLI-M	50	210x60	4,35	85,4
AF.C33-1/C-BLI-M	50	210x60	5,38	98,2
AF.C34-1/C-BLI-M	50	210x60	5,90	125,4
AF.C35-1/C-BLI-M	50	210x60	6,95	166,8
AF.C36-1/C-BLI-M	50	210x60	7,47	170,0
AF.C37-1/C-BLI-M	50	210x60	8,50	182,5
AF.C38-1/C-BLI-M	50	210x60	9,02	186,0
AF.C39-1/C-BLI-M	50	210x60	10,06	198,8
AF.C40-1/C-BLI-M	50	210x60	10,58	230,6
AF.C41-1/C-BLI-M	50	210x60	11,63	243,4
AF.C42-1/C-BLI-M	50	210x60	12,14	246,6
AF.C30-1/C-BLI-L	50	261x60	2,78	61,4
AF.C31-1/C-BLI-L	50	261x60	3,82	78,8
AF.C32-1/C-BLI-L	50	261x60	4,35	92,2
AF.C33-1/C-BLI-L	50	261x60	5,38	105,6
AF.C34-1/C-BLI-L	50	261x60	5,90	132,8
AF.C35-1/C-BLI-L	50	261x60	6,95	179,4
AF.C36-1/C-BLI-L	50	261x60	7,47	182,6
AF.C37-1/C-BLI-L	50	261x60	8,50	196,0
AF.C38-1/C-BLI-L	50	261x60	9,02	199,2
AF.C39-1/C-BLI-L	50	261x60	10,06	212,6
AF.C40-1/C-BLI-L	50	261x60	10,58	249,0
AF.C41-1/C-BLI-L	50	261x60	11,63	262,4
AF.C42-1/C-BLI-L	50	261x60	12,14	265,6


Serie Andamio - Scaffold range - Gamme echafaudage

EN 1004 Clase 3

 Referencia
 Reference
 Référence

 mm.

 cm.

 m.

 Kg

Andamio industrial CAPO-2 - CAPO-2 industrial scaffold - Echafaudage industriel CAPO-2



AF.C30-2/C-BLI	50	210x97	2,98	78,0
AF.C31-2/C-BLI	50	210x97	3,76	92,6
AF.C32-2/C-BLI	50	210x97	4,28	107,0
AF.C33-2/C-BLI	50	210x97	5,32	121,8
AF.C34-2/C-BLI	50	210x97	5,58	150,2
AF.C35-2/C-BLI	50	210x97	6,88	207,2
AF.C36-2/C-BLI	50	210x97	7,40	211,6
AF.C37-2/C-BLI	50	210x97	8,44	226,4
AF.C38-2/C-BLI	50	210x97	8,96	230,8
AF.C39-2/C-BLI	50	210x97	10,00	245,6
AF.C40-2/C-BLI	50	210x97	10,52	292,2
AF.C41-2/C-BLI	50	210x97	11,56	307,0

Andamio industrial CAPO-3 - CAPO-3 industrial scaffold - Echafaudage industriel CAPO-3



AF.C30-3/C-BLI	50	261x120	2,98	93,4
AF.C31-3/C-BLI	50	261x120	3,76	115,0
AF.C32-3/C-BLI	50	261x120	4,28	131,8
AF.C33-3/C-BLI	50	261x120	5,32	148,4
AF.C34-3/C-BLI	50	261x120	5,58	177,2
AF.C35-3/C-BLI	50	261x120	6,88	249,8
AF.C36-3/C-BLI	50	261x120	7,40	254,6
AF.C37-3/C-BLI	50	261x120	8,44	271,2
AF.C38-3/C-BLI	50	261x120	8,96	276,6
AF.C39-3/C-BLI	50	261x120	10,00	292,6
AF.C40-3/C-BLI	50	261x120	10,52	353,4
AF.C41-3/C-BLI	50	261x120	11,56	370,0


Suministros Industriales del Tajo, S.A.



Suministros Industriales del Tajo, S.A.

C/ Jarama 52, Polígono Industrial, 45007 Toledo (Spain)

Telf: (34) 925 23 22 00

Fax: (34) 925 23 21 47

sitasa@sitasa.com

www.sitasa.com

